




Smart and simple cabling solutions



MULTI APPLICATION PLUG

Fast, Performing and Secure



member of the TKH Group <

NEW APPLICATIONS CREATE NEW NEEDS

CCTV, wifi points, access control, remote display, DET systems, Industrial Ethernet ... a growing number of applications are using Internet Protocol (IP) and need to be connected to traditional data cabling networks. These new devices have technical constraints, which differ from those of desktop computers:

- For non-specialized installers, the termination of standard RJ45 plugs is not straight forward. It requires practice and specific tools.
- The development of Cat6 and cat6a shielded cables prevent the direct connexion of traditional plugs which are not compatible with solid core cables with section above AWG23. This imposes the use of wall outlets and patch cords for the connection of IP equipments.
- For most wall mounted equipments, connected to the network, the RJ45 connexion is easily accessible, thus creating a problem of security

THE MULTI APPLICATION PLUG IS THE ANSWER

Fast

- Unique pair by pair tool less termination system
- Can be connected to the cable in less than 50 seconds – even by a non-specialized installer.
- The ideal product for field termination.

Performing

- Cat6A/ClassEa performance, guaranteed by an electronic compensation system.
- Accept solid conductors up to AWG22.

Secure

- Innovative locking device
- Prevent unwanted disconnection of sensitive equipments

Applications


- Direct and easy connexion of IP equipments to solid core data cables (CCTV, Wifi access points, remote displays, DET systems, Audio and video systems, Industrial ethernet...)
- CAT6a consolidation links and patch cords (Data Centers ...)
- All connexions where security is at stake

ORDERING INFORMATION

PART NUMBER	DESCRIPTION
PL6AFS	Multifunction shielding CAT6A plug with locking system.
PL6AFS8	8 PL6AFS + 1 key for the locking system
PL6AFSKEY	Key for the locking system

APPLICATIONS

TOOL LESS TERMINATION :



- A Tool less termination thanks to 4 inserters
- B Colour coding
- C Cable tie
- D Zamac housing
- E Metallized ABS cover

Dimensions : L 60,8 mm x W 19 mm H 21,2 mm

Unique locking device





www.multimedia-connect.fr

Factory and Headquarters

MULTIMEDIA CONNECT
8, rue des Biches
74100 Ville la Grand
France

Commercial department

MULTIMEDIA CONNECT
ZAC des Hauts de Wissous
« Air Park de Paris »
Bâtiment le Cormoran
3 rue Jeanne Garnerin
91320 Wissous
France
T: +33 (0) 1 69 79 39 80
F: +33 (0) 1 64 48 29 84



member of the TKH Group <